

## References

- ALADIN (1997). The ALADIN project: Mesoscale modelling seen as a basic tool for weather forecasting and atmospheric research. *WMO Bull.* 46, 317–324.
- Alam, J. and J.-C. Lin (2008). Towards a fully Lagrangian atmospheric modelling system. *Mon. Weather Rev.* 136, 4653–4667.
- Alexander, M. and J. Holton (1997). A model study of zonal forcing in the equatorial stratosphere by convectively induced gravity waves. *J. Atmos. Sci.* 54, 408–419.
- Alexander, M. J. and J. R. Holton (2004). On the spectrum of vertically propagating gravity waves generated by a transient heat source. *Atmos. Chem. Phys.* 4, 923–932.
- Anderson, D. A., J. C. Tannehill, and R. H. Pletcher (1984). *Computational Fluid Mechanics and Heat Transfer*. New York: Hemisphere Publ. Corp.
- Andrews, D. G., J. R. Holton, and C. B. Leovy (1987). *Middle Atmosphere Dynamics*, Volume 40 of *International Geophysics series*. London: Academic Press.
- Andrews, D. G. and M. E. McIntyre (1978). On wave-action and its relatives. *J. Fluid Mech.* 89, 647–664. Corrigendum Vol 95, pp. 796; also Vol. 106, pp.331.
- Bacmeister, J. T. and M. R. Schoeberl (1989). Breakdown of vertically propagating two-dimensional gravity waves forced by orography. *J. Atmos. Sci.* 46, 2109–2134.
- Bacon, D. P., N. N. Ahmad, Z. Boybeyi, T. J. Dunn, P. C. S. L. M. S. Hall, R. A. Sarma, M. D. Turner, K. T. Waight, S. H. Young, and J. W. Zack (2000). A dynamically adapting weather and dispersion model: The operational multiscale environment model with grid adaptivity (OMEGA). *Mon. Weather Rev.* 128, 2044–2076.
- Baines, P. G. (1995). *Topographic effects in stratified flows*. Cambridge, New York: Cambridge University Press.
- Baldwin, M. P. and L. J. Gray (2005). Tropical stratospheric zonal winds in ECMWF ERA-40 reanalysis, rocketsonde data, and rawinsonde data. *Geophys. Res. Lett.* 32(L09806), 1–5.
- Baldwin, M. P., L. J. Gray, T. J. Dunkerton, K. Hamilton, P. H. Haynes, W. J. Randel, J. R. Holton, M. J. Alexander, I. Hirota, T. Horinouchi, D. B. A. Jones, J. S. Kinnersley, C. Marquardt, K. Sato, and M. Takahashi (2001). The quasi-biennial oscillation. *Reviews Geophys.* 39(2), 179–229.
- Bannon, P. (1996). On the anelastic approximation for a compressible atmosphere. *J. Atmos. Sci.* 53, 3618–3628.
- Batchelor, G. K. (1953). The conditions for dynamical similarity of motions of a frictionless perfect-gas atmosphere. *Q.J.R. Meteorol. Soc.* 79, 224–235.
- Batchelor, G. K. (1967). *An Introduction to Fluid Dynamics*. New York, London: Cambridge University Press.
- Bechtold, P., M. Köhler, T. Jung, F. Doblas-Reyes, M. Leutbecher, M. Rodwell, F. Vitart, and G. Balsamo (2008). Advances in simulating atmospheric variability with the ECMWF model: from synoptic to decadal time-scales. *Q.J.R. Meteorol. Soc.* submitted.

- Beljaars, A., P. Bechtold, M. Köhler, J.-J. Morcrette, A. Tompkins, P. Viterbo, and N. Wedi (2004). The numerics of physical parameterization. In *Proc. ECMWF Workshop on Recent Developments in numerical methods for atmosphere and ocean modelling*, Reading, UK, pp. 113–134. Eur. Cent. For Medium-Range Weather Forecasts.
- Bénard, P. (2004). On the use of a wider class of linear systems for the design of constant-coefficients semi-implicit time schemes in NWP. *Mon. Weather Rev.* *132*, 1319–1324.
- Bénard, P., R. Laprise, J. Vivoda, and P. Smolíková (2004). Stability of leapfrog constant-coefficients semi-implicit schemes for the fully elastic system of Euler equations: Flat-terrain case. *Mon. Weather Rev.* *132*, 1306–1318.
- Bénard, P., J. Mašek, and P. Smolíková (2005). Stability of leapfrog constant-coefficients semi-implicit schemes for the fully elastic system of Euler equations: case with orography. *Mon. Weather Rev.* *133*, 1065–1075.
- Bénard, P., J. Vivoda, J. Mašek, P. Smolíková, K. Yessad, R. Brozkova, and J.-F. Geleyn (2008). Dynamical kernel of the ALADIN-NH spectral limited-area model: formulation and sensitivity experiments. *Mon. Weather Rev.*. submitted.
- Biello, J. and A. Majda (2005). A new multiscale model for the Madden-Julian Oscillation. *J. Atmos. Sci.* *62*, 1694–1721.
- Bleck, R. (1974). Short range prediction in isentropic coordinates with filtered and unfiltered numerical models. *Mon. Weather Rev.* *102*, 813–829.
- Bleck, R. and L. T. Smith (1990). A wind-driven isopycnic coordinate model of the north and equatorial atlantic ocean I: Model development and supporting experiments. *J. Geophys. Res.* *95C*, 3273–3285.
- Bolton, D. (1980). The computation of equivalent potential temperature. *Mon. Weather Rev.* *108*, 1046–1053.
- Booker, J. R. and F. P. Bretherton (1967). The critical layer for internal gravity waves in a shear flow. *J. Fluid Mech.* *27*, 513–539.
- Bougeault, P. (1983). A non-reflective upper boundary condition for limited-height hydrostatic models. *Mon. Weather Rev.* *111*, 229–247.
- Boyd, J. (1980). Equatorial solitary waves. part I: Rossby solitons. *J. Phys. Oceanogr.* *10*, 1699–1717.
- Boyd, J. (2002). Equatorial solitary waves. part V: Initial value experiments, coexisting branches, and tilted-pair instability. *J. Phys. Oceanogr.* *32*, 2589–2602.
- Boyd, J. P. and G.-Y. Chen (2001). Weakly nonlinear wavepackets in the Korteweg-deVries equation: The KDV/NLS connection. *Mathematics and Computers in Simulation* *55*, 317–328.
- Brankovic, C., C. Jakob, M. Miller, A. Untch, and N. P. Wedi (2002). Climate diagnostics of the ECMWF AMIP-2 simulations. Technical Report 360, Eur. Cent. For Medium-Range Weather Forecasts, Reading, UK.
- Bretherton, F. P. (1966). The propagation of groups of internal gravity waves in a shear flow. *Q.J.R. Meteorol. Soc.* *92*, 466–480.
- Bronstein, I. N. and K. A. Semendjajew (1987). *Taschenbuch der Mathematik* (23rd ed.). Verlag Harri Deutsch: Thun and Frankfurt: Grosche G, Ziegler V, Ziegler D (eds).

- Brown, A. (2004). Resolution dependence of orographic torques. *Q.J.R. Meteorol. Soc.* 130, 3029–4046.
- Bubnova, R. (1998). Vertical discretization problems for very high resolution LAM; ARPEGE/ALADIN as example. In *Proc. ECMWF Workshop on Recent Developments in numerical methods for atmospheric modelling*, Reading, UK, pp. 281–307. Eur. Cent. For Medium-Range Weather Forecasts.
- Bubnova, R., G. Hello, P. Bénard, and J.-F. Geleyn (1995). Integration of the fully elastic equations cast in the hydrostatic pressure terrain-following coordinate in the framework of the ARPEGE/Aladin NWP system. *Mon. Weather Rev.* 123, 515–535.
- Buckingham, E. (1914). On physically similar systems; illustrations of the use of dimensional equations. *Physical Review* 4(4), 345–376.
- Buizza, R., J.-R. Bidlot, N. Wedi, M. Fuentes, M. Hamrud, G. Holt, and F. Vitart (2007). The new ecmwf vareps. *Q.J.R. Meteorol. Soc.* 133, 681–695.
- Buizza, R., T. Petriolagis, T. Palmer, J. Barkmeijer, M. Hamrud, A. Hollingsworth, A. Simmons, and N. Wedi (1998a). Impact of model resolution and ensemble size on the performance of an ensemble prediction system. *Q.J.R. Meteorol. Soc.* 124, 1935–1960.
- Buizza, R., T. Petriolagis, T. Palmer, J. Barkmeijer, M. Hamrud, A. Hollingsworth, A. Simmons, and N. Wedi (1998b). Impact of model resolution and ensemble size on the performance of an ensemble prediction system. Technical Report 245, Eur. Cent. For Medium-Range Weather Forecasts, Reading, UK.
- Cabral, M. and R. Rosa (2004). Chaos for a damped and forced KDV equation. *Physica D* 192, 265–278.
- Casulli, V. (1999). A semi-implicit finite difference method for non-hydrostatic, free surface flows. *Int. J. Numer. Methods Fluids* 30, 425–440.
- Casulli, V. and R. T. Cheng (1992). Semi-implicit finite difference methods for three dimensional shallow water flow. *Int. J. Numer. Methods Fluids* 15, 629–648.
- Catry, B., J.-F. Geleyn, M. Tudor, P. Bénard, and A. Trojáková (2007). Flux-conservative thermodynamic equations in a mass-weighted framework. *Tellus*, 71–79.
- Chang, C.-P. (1977). Viscous internal gravity waves and low frequency oscillations in the Tropics. *J. Atmos. Sci.* 34, 901–910.
- Chao, W. C. (1987). On the origin of the tropical intraseasonal oscillation. *J. Atmos. Sci.* 44(15), 1940–1949.
- Charbonnel, C. and S. Talon (2005). Influence of gravity waves on the internal rotation and Li abundance of solar-type stars. *Science* 309, 2189–2191.
- Charney, J. (1963). A note on large-scale motions in the tropics. *J. Atmos. Sci.* 20, 607–609.
- Chen, T.-C. and J.-M. Chen (1997). On the relationship between the streamfunction and velocity potential of the maddenjulan oscillation. *J. Atmos. Sci.* 54, 679685.
- Chisholm, J. S. R. (1978). *Vectors in three-dimensional space*. Cambridge, New York: Cambridge University Press.
- Chu, P. C. (1999). Two kinds of predictability in the Lorenz system. *J. Atmos. Sci.* 56, 1427–1432.
- Clark, T. L. (1977). A small scale dynamic model using a terrain following coordinate transformation. *J. Comput. Phys.* 24, 186–215.

- Clark, T. L. and R. D. Farley (1984). Severe downslope windstorm calculations in two and three spatial dimensions using anelastic interactive grid nesting: A possible mechanism for gustiness. *J. Atmos. Sci.* 41, 329–350.
- Clark, T. L. and M. Miller (1991). Pressure drag and momentum fluxes due to the alps II: Representation in large-scale atmospheric models. *Q.J.R. Meteorol. Soc.* 117, 527–552.
- Courant, R. and D. Hilbert (1989). *Courant & Hilbert (classics ed.)*, Volume II. J. Wiley & Sons, New York: Wiley Interscience Publishers.
- Coy, L. and M. H. Hitchman (1984). Kelvin wave packets and flow acceleration: A comparison of modelling and observations. *J. Atmos. Sci.* 41, 1875–1880.
- Cullen, M., D. Salmond, and P. K. Smolarkiewicz (2000). Key numerical issues for the future development of the ECMWF model. In *Proc. 2000 Workshop on Developments in numerical methods for very high resolution global models*, Reading, UK, pp. 183–206. Eur. Cent. For Medium-Range Weather Forecasts.
- Cullen, M., D. Salmond, and N. P. Wedi (2001). Interaction of parameterised processes with resolved dynamics. In *Proc. 2001 Seminar on key issues in the parameterization of subgrid physical processes*, Reading, UK, pp. 127–149. Eur. Cent. For Medium-Range Weather Forecasts.
- Cullen, M. J. P., T. Davies, M. H. Mawson, J. A. James, S. C. Coulter, and A. Malcolm (1997). An overview of numerical methods for the next generation UK NWP and climate model. *Atmos. Ocean Special* 35, 425–444.
- Daley, R. (1988). The normal modes of the spherical non-hydrostatic equations with applications to the filtering of acoustic modes. *Tellus* 40A, 96–106.
- Daley, R. (1991). *Atmospheric data analysis*. Cambridge, New York: Cambridge University Press.
- Davies, H. C. (1983). Limitations of some common lateral boundary schemes in regional NWP models. *Mon. Weather Rev.* 111, 1002–1012.
- Davies, T., M. J. P. Cullen, A. J. Malcolm, M. Mawson, A. Staniforth, A. A. White, and N. Wood (2005). A new dynamical core for the Met Office’s global and regional modelling of the atmosphere. *Q.J.R. Meteorol. Soc.* 131, 1759–1782.
- Davies, T., M. J. P. Cullen, M. H. Mawson, and A. J. Malcolm (1998). A new dynamical formulation for the meteorological office unified model. In *Proc. 1998 Seminar on Recent Developments in Numerical Methods for Atmospheric Modelling*, Reading, UK, pp. 202–225. Eur. Cent. For Medium-Range Weather Forecasts.
- Davies, T., A. Staniforth, N. Wood, and J. Thuburn (2003). Validity of anelastic and other equation sets as inferred from normal-mode analysis. *Q.J.R. Meteorol. Soc.* 129, 2761–2775.
- Defant, F. (1950). Theorie der land- und seewinde. *Arch. Meteor. Geophys. Biokl. Serie A* 2(4), 404–425.
- Dodd, R., J. Eilbeck, J. Gibbon, and H. Morris (1982). *Solitons and Nonlinear Wave equations*. London: Academic Press.
- Doms, G. and U. Schättler (1999). The nonhydrostatic limited-area model LM (Lokal Model) of DWD. Scientific Documentation. Deutscher Wetterdienst, Offenbach, Germany.
- Dörnbrack, A. (1998). Turbulent mixing by breaking gravity waves. *J. Fluid Mech.* 375, 113–141.
- Dörnbrack, A., J. D. Doyle, T. P. Lane, R. D. Sharman, and P. K. Smolarkiewicz (2005). On physical realizability and uncertainty of numerical solutions. *Atmospheric Science Letters* 6, 118–122.

- Drazin, P. G. and W. H. Reid (1981). *Hydrodynamic stability*. Cambridge, New York: Cambridge University Press.
- Drikakis, D., L. G. Margolin, and P. K. Smolarkiewicz (2002). On 'spurious' eddies. *Int. J. Numer. Methods Fluids* 40, 313–322.
- Dunkerton, T. J. (1981a). Wave transience in a compressible atmosphere. Part I: Transient internal wave, mean-flow interaction. *J. Atmos. Sci.* 38, 281–297.
- Dunkerton, T. J. (1981b). Wave transience in a compressible atmosphere. Part II: Transient equatorial waves in the quasi-biennial oscillation. *J. Atmos. Sci.* 38, 298–307.
- Dunkerton, T. J. (1991). Nonlinear propagation of zonal winds in an atmosphere with Newtonian cooling and equatorial wave driving. *J. Atmos. Sci.* 48, 236–263.
- Dunkerton, T. J. (1997a). The role of gravity waves in the quasi-biennial oscillation. *J. Geophys. Res.* 102(D22), 26053–26076.
- Dunkerton, T. J. (1997b). Shear instability of internal inertia-gravity waves. *J. Atmos. Sci.* 54, 1628–1641.
- Durran, D. R. (1989). Improving the anelastic approximation. *J. Atmos. Sci.* 46, 1453–1461.
- Durran, D. R. (1999). *Numerical methods for wave equations in geophysical fluid dynamics*. New York: Springer-Verlag.
- Dutton, J. A. (1986). *The Ceaseless Wind*. Dover Publications Inc.
- ECMWF (2000). *Proc. ECMWF Workshop on Developments in numerical methods for very high resolution global models*, Workshop proceedings, Reading, UK. ECMWF.
- ECMWF (2003). In *ECMWF/CLIVAR Workshop*, Proc. 2003 ECMWF/CLIVAR Workshop on Simulation and Prediction of Intra-Seasonal Variability with emphasis on the MJO, Reading, UK. Eur. Cent. For Medium-Range Weather Forecasts.
- Egger, J. and K. P. Hoinka (1992). Fronts and orography. *Meteorol. Atmos. Phys.* 48, 3–36.
- Eichhorn, J., K. Cui, M. Flender, T. Kandlbinder, W.-G. Panhans, R. Ries, J. Siebert, T. Trautmann, N. Wedi, and W. Zdunkowski (1997). A three-dimensional viscous topography mesoscale model. *Beitr. Phys. Atmosph.* 70, 301–317.
- Eliassen, A. and E. Palm (1961). On the transfer of energy in stationary mountain waves. *Geophys. Publ.* 22, 1–23.
- Fels, S. B. (1982). A parameterization of scale-dependent radiative damping rates in the middle atmosphere. *J. Atmos. Sci.* 39, 1141–1152.
- Fels, S. B. and R. S. Lindzen (1974). The interaction of thermally excited gravity waves with mean flows. *Geophys. Fluid Dyn.* 6, 149–191.
- Ferranti, L., T. N. Palmer, F. Molteni, and E. Klinker (1990). Tropical-extratropical interaction associated with the 30-60 day oscillation and its impact on medium and extended range prediction. *J. Atmos. Sci.* 47, 2177–2199.
- Flierl, G. (1987). Isolated eddy models in geophysics. *Ann. Rev. Fluid Mech.* 19, 493–530.

- Flynn, M. R. and B. R. Sutherland (2004). Intrusive gravity currents and internal gravity wave generation in stratified fluid. *J. Fluid Mech.* 514, 355–383.
- Ford, R., M. E. McIntyre, and W. A. Norton (2000). Balance and the slow quasimanifold: some explicit results. *J. Atmos. Sci.* 57, 1236–1254.
- Frederikson, J. (2002). Genesis of intraseasonal oscillations and equatorial waves. *J. Atmos. Sci.* 59, 2761–2781.
- Freudenthal, H. (1970-1980). *Dictionary of Scientific Biography*, Volume I-XVI, Chapter Riemann. New York: C.C. Gillispie, Scribner & Sons.
- Fringer, O. B. and R. L. Street (2003). The dynamics of breaking progressive interfacial waves. *J. Fluid Mech.* 494, 319–353.
- Fringer, O. B. and R. L. Street (2004, May). Rigid lid, quasihydrostatic, and hydrostatic numerical methods. <http://fluid.stanford.edu/fringer/movies/movies.html>.
- Fritts, D. C. and M. J. Alexander (2003). Gravity wave dynamics and effects in the middle atmosphere. *Reviews Geophys.* 41, 1–68.
- Fu, Z.-T., S.-K. Liu, and S.-D. Liu (2005). Equatorial Rossby solitary wave under the external forcing. *Commun. Theor. Phys.* 43, 45–48.
- Fu, Z.-T., S.-K. Liu, S.-D. Liu, and Q. Zhao (2001). New Jacobi elliptic function expansion and new periodic solutions of nonlinear wave equations. *Phys. Letters A* 290, 72–76.
- Gabis, I. and O. A. Troshichev (2005). QBO cycle identified by changes in height profile of the zonal winds: New regularities. *J. Atm. Sol. Terr. Phys.* 67, 33–44.
- Gal-Chen, T. and C. J. Somerville (1975). On the use of a coordinate transformation for the solution of the Navier-Stokes equations. *J. Comput. Phys.* 17, 209–228.
- Galmiche, M., O. Thual, and P. Bonneton (2000). Wave/wave interaction producing horizontal mean flows in stably stratified fluids. *Dyn. Atm. Ocean* 31, 193–207.
- Gatti-Bono, C. and P. Colella (2006). An anelastic allspeed projection method for gravitationally stratified flows. *J. Comput. Phys.* in press.
- Gejadze, I. Y. and G. J. M. Copeland (2005). Adjoint sensitivity analysis for fluid flow with free surface. *Int. J. Numer. Methods Fluids* 47, 1027–1034.
- Geleyn, J.-F. (2005). New findings about the orographic chimney problem’ in aladin-nh dynamical core and tentative conclusions for the code policy. <http://www.rclace.eu>.
- Gibson, J. K., P. Kallberg, S. Uppala, A. Hernandez, A. Nomura, and E. Serrano (1999). ECMWF re-analysis project report series: 1. ERA-15 description. Technical report, ECMWF, Shinfield Park, Reading.
- Gill, A. (1980). Some simple solutions for heat-induced tropical circulation. *Q.J.R. Meteorol. Soc.* 106, 447–462.
- Gill, A. (1982). *Atmosphere - Ocean Dynamics*, Volume 30 of *International Geophysics series*. London: Academic Press.

- Giorgetta, M. A., E. Manzini, and E. Roeckner (2002). Forcing of the quasi-biennial oscillation from a broad spectrum of atmospheric waves. *Geophys. Res. Lett.* 29(8), 86–1–86–4.
- Givoli, D. (1991). Non-reflecting boundary conditions. *J. Comput. Phys.* 94, 1–29.
- Grabowski, W. W. (2001). Coupling cloud processes with the large-scale dynamics using the cloud-resolving convection parameterization (CRCP). *J. Atmos. Sci.* 58, 978–997.
- Grabowski, W. W. and P. Smolarkiewicz (1990). Monotone finite difference approximations to the advection-condensation problem. *Mon. Weather Rev.* 118, 2082–2097.
- Greiner, W. and H. Stock (1991). *Hydrodynamik* (4. Auflage ed.), Volume 2A of *Theoretische Physik*. Verlag Harri Deutsch.
- Gresho, P. and R. Sani (1987). On pressure boundary conditions for the incompressible Navier-Stokes equations. *Int. J. Numer. Methods Fluids*, 1111–1145.
- Grimshaw, R. (1972). Nonlinear internal gravity waves in a slowly varying medium. *J. Fluid Mech.* 54, 193–207.
- Grimshaw, R. (1974). Internal gravity waves in a slowly varying dissipative medium. *Geophys. Fluid Dyn.* 6, 131–148.
- Grimshaw, R. (1975). Nonlinear internal gravity waves and their interaction with the mean wind. *J. Atmos. Sci.* 32, 1779–1793.
- Grosch, C. and S. Orszag (1977). Numerical solution of problems in unbounded regions: coordinate transforms. *J. Comput. Phys.* 25, 273–295.
- Grubišić, V. and P. K. Smolarkiewicz (1997). The effect of critical levels on 3d orographic flows: Linear regime. *J. Atmos. Sci.* 54, 1943–1960.
- Guilyardi, E., R. Budich, G. Brasseur, and G. Komen (Eds.) (2003). *Prism System Specification Handbook* (1.0 ed.), Chapter Redoc I.4, II.1, II.4; Arcdi III., IV.3.
- Hartmann, D. L. and H. H. Hendon (2007). Resolving an atmospheric enigma. *Science* 318, 1731–1732.
- Haynes, P. H. (1998). The latitudinal structure of the quasi-biennial oscillation. *Q.J.R. Meteorol. Soc.* 124, 2645–2670.
- Haynes, P. H. (2005). Stratospheric dynamics. *Annu. Rev. Fluid Mech.* 37, 263–293.
- Held, I. (2005). The gap between simulation and understanding in climate modelling. *Bull. Am. Meteor. Soc.* 86, 1609–1614.
- Held, I. and A. Hou (1980). Nonlinear axially symmetric circulations in a nearly inviscid atmosphere. *J. Atmos. Sci.* 37, 515–533.
- Held, I. and M. Suarez (1994). A proposal for the intercomparison of the dynamical cores of atmospheric general circulation models. *Bull. Am. Meteorol. Soc.* 73, 1825–1830.
- Hendon, H. H. and M. L. Salby (1994). The life cycle of the Madden-Julian oscillation. *J. Atmos. Sci.* 51(15), 2225–2237.

- Herzog, H.-J. (1995). Testing a radiative upper boundary condition in a nonlinear model with hybrid vertical coordinate. *Meteorol. Atmos. Phys.* 55, 185–204.
- Higdon, R. (2002). A two-level time-stepping method for layered ocean circulation models. *J. Comput. Phys.* 177, 59–94.
- Hodyss, D. and T. Nathan (2002). Solitary Rossby waves in zonally varying jet flows. *Geophys. Astrophys. Fluid Dynamics* 96(3), 239–262.
- Holloway, G. (1988). The buoyancy flux from internal gravity wave breaking. *Dyn. Atm. Ocean* 12, 107–125.
- Holton, J. R. (1992). *An introduction to dynamic meteorology* (3rd ed.), Volume 23 of *International Geophysics series*. New York: Academic Press.
- Holton, J. R., P. H. Haynes, M. E. McIntyre, A. R. Douglas, R. B. Rood, and L. Pfister (1995). Stratosphere-Troposphere exchange. *Reviews Geophys.* 33(4), 403–439.
- Holton, J. R. and R. S. Lindzen (1972). An updated theory for the quasi-biennial cycle of the tropical stratosphere. *J. Atmos. Sci.* 29, 1076–1079.
- Horinouchi, T., S. Pawson, K. Shibata, U. Langematz, E. Manzini, M. A. Giorgetta, F. Sassi, R. J. Wilson, K. Hamilton, J. de Grandpré, and A. A. Scaife (2003). Tropical cumulus convection and upward-propagating waves in middle-atmospheric GCMs. *J. Atmos. Sci.* 60, 2765–2782.
- Horinouchi, T. and S. Yoden (1998). Wave-mean flow interaction associated with a QBO-like oscillation simulated in a simplified GCM. *J. Atmos. Sci.* 55, 502–525.
- Hortal, M. and A. Simmons (1991). Use of reduced gaussian grids in spectral models. *Mon. Weather Rev.* 119, 1057–1074.
- Hoskins, B. J. and G.-Y. Yang (2000). The equatorial response to higher latitude forcing. *J. Atmos. Sci.* 57, 1197–1213.
- Hou, A. Y. and B. F. Farrell (1987). Superrotation induced by critical level absorption of gravity waves on Venus: An assessment. *J. Atmos. Sci.* 44, 1049–1061.
- Houghton, D. and A. Kasahara (1968). Nonlinear shallow fluid flow over an isolated ridge. *Comm. Pure Appl. Math.* 21, 1–23.
- Hristov, T. S., S. D. Miller, and C. A. Friehe (2003). Dynamical coupling of wind and ocean waves through wave-induced air flow. *Nature* 422, 55–58.
- Hsu, H.-H., B. J. Hoskins, and F.-F. Jin (1990). The 1985/86 intraseasonal oscillation and the role of the extratropics. *J. Atmos. Sci.* 47, 823–839.
- Hsu, Y.-J. G. and A. Arakawa (1990). Numerical modelling of the atmosphere with an isentropic vertical coordinate. *Mon. Weather Rev.* 118, 1933–1959.
- Hundertmark, T. and S. Reich (2007). A regularization approach for a vertical slice model and semi-Lagrangian Störmer-Verlet time-stepping. *Q.J.R. Meteorol. Soc.* 133, 1575–1587.
- Iskandarani, M., D. B. Haidvogel, and J. Levin (2003). A three-dimensional spectral element model for the solution of the hydrostatic primitive equations. *J. Comput. Phys.* 186, 397–425.

- Janjic, Z. I., J. P. G. Jr., and S. Nickovic (2001). An alternative approach to nonhydrostatic modelling. *Mon. Weather Rev.* 129, 1164–1178.
- Jiang, Q., J. Doyle, and R. Smith (2006). Interaction between trapped waves and boundary layers. *J. Atmos. Sci.* 63, 617–633.
- Jung, T. (2005). Systematic errors of the atmospheric circulation in the ecmwf forecasting system. *Q.J.R. Meteorol. Soc.* 131, 1045–1073.
- Kallberg, P., P. Berrisford, B. Hoskins, A. Simmons, S. Uppala, S.-L. Thépaut, and R. Hine (2005). ERA-40 atlas. Technical Report 19, ECMWF, Reading, UK.
- Kapitza, H. and D. P. Eppel (1992). The non-hydrostatic mesoscale model GESIMA. Part I: Dynamical equations and tests. *Beitr. Phys. Atmosph.* 65(2), 129–144.
- Kartashova, E. and V. S. L'vov (2007). Model of intraseasonal oscillations in earth's atmosphere. *Phys. Rev. Letters* 98(198501), 1–4.
- Kasahara, A. (1974). Various vertical coordinate systems used for numerical weather prediction. *Mon. Weather Rev.* 102, 509–522.
- Kasahara, A. and J.-H. Qian (2000). Normal modes of a global nonhydrostatic model. *Mon. Weather Rev.* 128, 3357–3375.
- Keller, T. L. (1994). Implications of the hydrostatic assumption on atmospheric gravity waves. *J. Atmos. Sci.* 51, 1915–1929.
- Kiladis, G., K. Straub, and P. Haertel (2005). Zonal and vertical structure of the Madden-Julian oscillation. *J. Atmos. Sci.* 62, 2790–2809.
- Kiladis, G. N. and M. Wheeler (1995). Horizontal and vertical structure of observed tropospheric equatorial Rossby waves. *J. Geophys. Res.* 100(D11), 22981–22997.
- Kim, Y.-J., D. Eckermann, and H.-Y. Chun (2003). An overview of the past, present and future of gravity-wave drag parameterization for numerical climate and weather prediction models. *Dyn. Atm. Ocean* 41, 65–98.
- Klemp, J. B., J. Dudhia, and A. D. Hassiotis (2008). An upper gravity-wave absorbing layer for NWP applications. *Mon. Weather Rev.* 136, 39874004.
- Klemp, J. B. and D. R. Durran (1983). An upper boundary condition permitting internal gravity wave radiation in numerical mesoscale models. *Mon. Weather Rev.* 111, 430–444.
- Klemp, J. B. and D. K. Lilly (1978). Numerical simulation of hydrostatic mountain waves. *J. Atmos. Sci.* 35, 78–107.
- Klemp, J. B., W. C. Skamarock, and O. Fuhrer (2003). Numerical consistency of metric terms in terrain-following coordinates. *Mon. Weather Rev.* 131, 1229–1239.
- Kondepudi, D. and I. Prigogine (1998). *Modern Thermodynamics - From heat engines to dissipative structures*. Wiley and Sons.
- Konor, C. S. and A. Arakawa (1997). Design of an atmospheric model based on a generalized vertical coordinate. *Mon. Weather Rev.* 125, 1649–1673.

- Koop, C. G. (1981). A preliminary investigation of the interaction of internal gravity waves with a steady shearing motion. *J. Fluid Mech.* 113, 347–386.
- Koop, C. G. and B. McGee (1986). Measurements of internal gravity waves in a continuously stratified shear flow. *J. Fluid Mech.* 172, 453–480.
- Kuang, Z., P. Blossey, and C. Bretherton (2005). A new approach for 3d cloud-resolving simulations of large-scale atmospheric circulation. *Geophys. Res. Lett.* 32(L02809), 1–4.
- Kuo, H. L. (1972). On a generalized potential vorticity equation for quasi-geostrophic flow. *Pure and Applied Geophysics* 96, 171–175.
- Lamb, H. (1975). *Hydrodynamics* (6th ed.). New York, London: Cambridge University Press.
- Landau, L. D. and E. M. Lifschitz (2004). *Fluid Mechanics*. Amsterdam: Elsevier.
- Lane, T. and J. C. Knievel (2004). Some effects of model resolution on simulated gravity waves generated by deep, mesoscale convection. *J. Atmos. Sci.* 62, 3408–3419.
- Laprise, R. (1992). The Euler equations of motion with hydrostatic pressure as an independent variable. *Mon. Weather Rev.* 120, 197–207.
- Laprise, R. and W. R. Peltier (1989a). The linear stability of nonlinear mountain waves: Implications for the understanding of severe downslope windstorms. *J. Atmos. Sci.* 46, 545–564.
- Laprise, R. and W. R. Peltier (1989b). The structure and energetics of transient eddies in a numerical simulation of breaking mountain waves. *J. Atmos. Sci.* 46, 565–585.
- Lau, K. M. and H. Lim (1982). Thermally driven motions in an equatorial beta-plane: Hadley and walker circulations during the winter Monsoon. *Mon. Weather Rev.* 110, 336–353.
- Lau, K.-M. and L. Peng (1987). Origin of low-frequency (intraseasonal) oscillations in the tropical atmosphere. part I: Basic theory. *J. Atmos. Sci.* 44(6), 950–972.
- Leovy, C. B. (1973). Rotation of the upper atmosphere of Venus. *J. Atmos. Sci.* 30, 1218–1220.
- Leutbecher, M. (1998). *Die Ausbreitung orographisch angeregter Schwerewellen in die Stratosphäre*. Ph. D. thesis, Ludwig-Maximilians-Universität München, Institut für Physik der Atmosphäre des DLR, Oberpfaffenhofen.
- Li, C., X. Jia, J. Ling, W. Zhou, and C. Zhang (2009). Sensitivity of MJO simulations to diabatic heating profiles. *Clim. Dyn.* 32, 167–187.
- Lie, X. and P. L. Read (2000). A mechanistic model of the quasi-quadrennial oscillation in Jupiter’s stratosphere. *Planetary and Space Science* 48, 637–669.
- Lighthill, M. (1969). Dynamic response of the Indian ocean to onset of the southwest Monsoon. *Proc. Roy. Soc. London A* 265, 45–92.
- Lignieres, F. (1999). The small-Peclet-number approximation in stellar radiative zones. *Astron. Astrophys.* 348, 933–939.
- Lilly, D. K. (1962). On the numerical simulation of buoyant convection. *Tellus* 14(2), 148–172.

- Lin, J.-L., M.-I. Lee, D. Kim, I.-S. Kang, and D. M. Frierson (2008). The impacts of convective parametrization and moisture triggering on agcm-simulated convectively coupled equatorial waves. *J. Climate* 21, 883–909.
- Lindzen, R., E. Batten, and J. Kine (1968). Oscillations in atmospheres with tops. *Mon. Weather Rev.* 96, 133–140.
- Lindzen, R. D. (1967). Planetary waves on beta-planes. *Mon. Weather Rev.* 95, 441–451.
- Lindzen, R. S. (1987). On the development of the theory of the QBO. *Bull. Am. Meteorol. Soc.* 68(4), 329–337.
- Lindzen, R. S., B. Farrell, and D. Jacqmin (1982). Vacillations due to wave interference: Applications to the atmosphere and to annulus experiments. *J. Atmos. Sci.* 39, 14–23.
- Lindzen, R. S. and J. R. Holton (1968). A theory of the quasi-biennial oscillation. *J. Atmos. Sci.* 25, 1095–1107.
- Lindzen, R. S. and C.-Y. Tsay (1975). Wave structure of the tropical stratosphere over the Marshall Islands area during 1 April - 1 July 1958. *J. Atmos. Sci.* 32, 2008–2021.
- Lipps, F. B. (1990). On the anelastic approximation for deep convection. *J. Atmos. Sci.* 47, 1794–1798.
- Lipps, F. B. and R. S. Hemler (1982). A scale analysis of deep moist convection and some related numerical calculations. *J. Atmos. Sci.* 39, 2192–2210.
- Long, R. R. (1972). The steepening of long, internal waves. *Tellus* 24, 88–99.
- Lorenz, E. D. (1955). Available potential energy and the maintenance of the general circulation. *Tellus VII*(2), 157–167.
- Lundgren, T. and P. Koumoutsakos (1999). On the generation of vorticity at a free surface. *J. Fluid Mech.* 382, 351–366.
- Luo, H. and T. R. Bewley (2004). On the contravariant form of the Navier-Stokes equations in time-dependent curvilinear coordinates. *J. Comput. Phys.* 199, 355–375.
- Madala, R. V. and S. A. Piacsek (1977). A semi-implicit numerical model for baroclinic oceans. *J. Comput. Phys.* 23, 167–178.
- Madden, R. A. and P. R. Julian (1971). Detection of a 40-50 day oscillation in the zonal wind in the tropical Pacific. *J. Atmos. Sci.* 28, 702–708.
- Madden, R. A. and P. R. Julian (1972). Description of global scale circulation cells in the Tropics with 40-50 day period. *J. Atmos. Sci.* 29, 1109–1123.
- Madden, R. A. and P. R. Julian (1994). Observations of the 40-50-day tropical oscillation - a review. *Mon. Weather Rev.* 122, 814–837.
- Maicun, L. (1987a). Equatorial solitary waves of tropical atmospheric motion in shear flow. *Adv. Atmos. Sci.* 4, 125–136.
- Maicun, L. (1987b). On the low-frequency, planetary-scale motion in the tropical atmosphere and oceans. *Adv. Atmos. Sci.* 4, 249–263.
- Majda, A. and J. Biello (2004). A multiscale model for tropical intraseasonal oscillations. *Proc. Natl. Acad. Sci.* 101, 4736–4741.

- Mak, M.-K. (1969). Laterally driven stochastic motions in the tropics. *J. Atmos. Sci.* 26, 41–64.
- Malanotte-Rizzoli, P. (1980). Solitary Rossby waves over variable relief and their stability. part II: numerical experiments. *Dyn. Atm. Ocean* 4, 261–294.
- Malanotte-Rizzoli, P., D. B. Haidvogel, and R. E. Young (1987). Numerical simulation of transient boundary-forced radiation. part I: The linear regime. *J. Phys. Oceanogr.* 17, 1439–1457.
- Malanotte-Rizzoli, P., R. E. Young, and D. B. Haidvogel (1988). Numerical simulation of transient boundary-forced radiation. part II: The Modon regime. *J. Phys. Oceanogr.* 18, 1546–1569.
- Martin, C. and R. Pielke (1983). The adequacy of the hydrostatic assumption in sea breeze modelling over flat terrain. *J. Atmos. Sci.* 40, 1472–1481.
- Matsuno, T. (1966). Quasi-geostrophic motions in the equatorial area. *J. Meteor. Soc. Japan* 44, 25–43.
- McIntyre, M. E. (1994). The quasi-biennial oscillation (QBO): Some points about the terrestrial QBO and the possibility of related phenomena in the solar interior. In Nesme-Ribes (Ed.), *The Solar engine and its influence on the terrestrial atmosphere and climate*, Volume 25 of *Nato ASI Subseries I*, Heidelberg, pp. 293–320. Springer-Verlag.
- McIntyre, M. E. (2002). Some fundamental aspects of atmospheric dynamics, with a solar spinoff. In R. Pearce (Ed.), *Meteorology at the Millennium*, Volume 83 of *International Geophysics series*, pp. 283–303. Academic Press.
- McIntyre, M. E. (2003). On global-scale atmospheric circulations. In G. Batchelor, H. Moffatt, and M. Worster (Eds.), *Perspectives in Fluid Dynamics: A Collective Introduction to Current Research*, pp. 557–624. Cambridge University Press.
- McIntyre, M. E. and T. N. Palmer (1984). The “surf zone” in the stratosphere. *J. Atmos. Terr. Phys.* 46, 825–849.
- McLandress, C. and J. F. Scinocca (2005). The GCM response to current parametrizations of non-orographic gravity wave drag. *J. Atmos. Sci.* 62, 2394–2413.
- Menhofer, A., R. Smith, M. Reeder, and D. Christie (1997). “morning-glory” disturbances and the environment in which they propagate. *J. Atmos. Sci.* 54, 1712–1725.
- Miles, J. W. (1961). On the stability of heterogeneous shear flows. *J. Fluid Mech.* 10, 496–508.
- Miller, M. (1974). On the use of pressure as vertical coordinate in modelling convection. *Q.J.R. Meteorol. Soc.* 100, 155–162.
- Miller, M. and A. White (1984). On the non-hydrostatic equations in pressure and sigma coordinates. *Q.J.R. Meteorol. Soc.* 110, 515–533.
- Milne-Thomson, L. M. (1968). *Theoretical Hydrodynamics* (5th ed.). The MacMillan Press Ltd.
- Miura, H., M. Satoh, T. Nasuno, A. T. Noda, and K. Oouchi (2007). A Madden-Julian Oscillation event realistically simulated by a global cloud-resolving model. *Science* 318, 1763–1765.
- Moin, P. and K. Mahesh (1998). Direct numerical simulation: A tool in turbulence research. *Annu. Rev. Fluid Mech.* 30, 539–578.

- Moncrieff, M. W. (2004). Analytic representation of the large scale organization of tropical convection. *J. Atmos. Sci.* 61, 1521–1538.
- Moore, G. W. K. (1985). A comparison of hydrostatic and nonhydrostatic wave-CISK. *J. Atmos. Sci.* 42, 1510–1520.
- Morton, B. R. (1984). The generation and decay of vorticity. *Astrophys. Fluid Dynamics* 28, 277–308.
- Nadiga, B. T., L. G. Margolin, and P. K. Smolarkiewicz (1996). Different approximations of shallow fluid flow over an obstacle. *Phys. Fluids* 8, 2066–2077.
- NAG (2004). *NAG Fortran library manual* (NP3546/20A ed.). C06 - summation of series.
- NAG (2008). *NAG Fortran library manual* (NP3657/21 ed.). D02KEF.
- Namin, M. M., B. Lin, and R. A. Falconer (2001). An implicit numerical algorithm for solving non-hydrostatic free-surface flow problems. *Int. J. Numer. Methods Fluids* 35, 341–356.
- Neale and Hoskins (2001). A standard test for agcms including their physical parametrizations: I: The proposal. *Atmospheric Science Letters* 1, 1–7.
- Nicoud, F. and T. Schönfeld (2002). Integral boundary conditions for unsteady biomedical CFD applications. *Int. J. Numer. Methods Fluids* 40, 457–465.
- Ogura, Y. and N. A. Phillips (1962). Scale analysis of deep and shallow convection in the atmosphere. *J. Atmos. Sci.* 19.
- Ohlsen, D. R. and P. B. Rhines (1997). Laboratory studies of equatorially trapped waves using ferrofluid. *J. Fluid Mech.* 338, 35–58.
- Otobe, N., S. Sakai, S. Yoden, and M. Shiotani (1998). Visualization and WKB analysis of the internal gravity wave in the QBO experiment. *Nagare, Japan Society of Fluid Mechanics* 17(3). <http://www.nagare.or.jp/mm/98/index.htm>.
- Ozawa, H., A. Ohmura, R. D. Lorenz, and T. Pujol (2003). The second law of thermodynamics and the global climate system: a review of the maximum entropy production principle. *Reviews Geophys.* 41(4), 1–24.
- Palmer, T. N. (2001). A nonlinear dynamical perspective on model error : A proposal for non-local stochastic-dynamic parametrization in weather and climate prediction models. *Q.J.R. Meteorol. Soc.* 127, 279–304.
- Pascoe, C. L., L. J. Gray, S. A. Crooks, M. N. Jukes, and M. P. Baldwin (2005). The quasi-biennial oscillation: Analysis using ERA-40 data. *J. Geophys. Res.* 110(D08105), 1–13.
- Pedlosky, J. (1987). *Geophysical Fluid Dynamics* (second ed. ed.). New York: Springer Verlag.
- Phillips, N. A. (1957). A coordinate system having some special advantages for numerical forecasting. *J. Meteor.* 14, 184–185.
- Phillips, N. A. (1981a). Wave interactions - the evolution of an idea. *J. Fluid Mech.* 106, 215–227.
- Phillips, N. A. (1990). Dispersion processes in large scale weather prediction. *WMO Bulletin* (700), 1–126. Sixth IMO lecture.
- Phillips, O. M. (1981b). Wave interactions - the evolution of an idea. *J. Fluid Mech.* 106, 215–227.

- Pierini, S., A. M. Fincham, D. Renouard, M. R. D’Ambrosio, and H. Didelle (2002). Laboratory modelling of topographic Rossby normal modes. *Dyn. Atm. Ocean* 35, 205–225.
- Plumb, R. A. (1977). The interaction of two internal waves with the mean flow: Implications for the theory of the quasi-biennial oscillation. *J. Atmos. Sci.* 34, 1847–1858.
- Plumb, R. A. and R. C. Bell (1982). A model of the quasi-biennial oscillation on an equatorial beta plane. *Q.J.R. Meteorol. Soc.* 108, 335–352.
- Plumb, R. A. and D. McEwan (1978). The instability of a forced standing wave in a viscous stratified fluid: A laboratory analogue of the quasi-biennial oscillation. *J. Atmos. Sci.* 35, 1827–1839.
- Poulin, F. J., G. R. Flierl, and J. Pedlosky (2003). Parametric instability in oscillatory shear flows. *J. Fluid Mech.* 481, 329–353.
- Prandtl, L. (1961). *Ludwig Prandtl Gesammelte Abhandlungen*, Volume II, Chapter Turbulenz und Wirbelbildung. Springer-Verlag.
- Prusa, J. M. and P. K. Smolarkiewicz (2003). An all-scale anelastic model for geophysical flows: Dynamic grid deformation. *J. Comput. Phys.* 190, 601–622.
- Prusa, J. M., P. K. Smolarkiewicz, and R. R. Garcia (1996). On the propagation and breaking at high altitudes of gravity waves excited by tropospheric forcing. *J. Atmos. Sci.* 53, 2186–2216.
- Prusa, J. M., P. K. Smolarkiewicz, and A. A. Wyszogrodzki (2001). Simulations of gravity wave induced turbulence using 512 PE CRAY T3E. *Int. J. Applied Math. Comp. Science*, 2186–2216.
- Prusa, J. M., P. K. Smolarkiewicz, and A. A. Wyszogrodzki (2008). EULAG, a computational model for multiscale flows. *Comput. Fluids* 37, 1193–1207.
- Qian, J.-H., F. H. M. Semazzi, and J. S. Scroggs (1998). A global nonhydrostatic semi-Lagrangian atmospheric model with orography. *Mon. Weather Rev.* 126, 747–771.
- Ray, P., C. Zhang, J. Dudhia, and S. S. Chen (2009). A numerical case study on the initiation of the Madden-Julian oscillation. *J. Atmos. Sci.* 66, 310–331.
- Read, P. L., S. R. Lewis, and R. Hide (1997). Laboratory and numerical studies of baroclinic waves in an internally heated rotating fluid annulus: a case of wave/vortex duality ? *J. Fluid Mech.* 337, 155–191.
- Redekopp, L. (1977). On the theory of solitary Rossby waves. *J. Fluid Mech.* 82, 725–745.
- Redekopp, L. and P. Weidman (1978). Solitary Rossby waves in zonal shear flows and their interaction. *J. Atmos. Sci.* 35, 790–804.
- Richtmyer, R. D. and K. W. Morton (1967). *Difference Methods for Initial-Value Problems* (2nd ed.). New York: Wiley-Interscience.
- Riemann, B. (1873, May). On the hypotheses which lie at the basis of geometry. *Nature* VIII.
- Ritchie, H. (1988). Application of the semi-Lagrangian method to a spectral model of the shallow water equations. *Mon. Weather Rev.* 116, 1587–1598.
- Ritchie, H., C. Temperton, A. Simmons, M. Hortal, T. Davies, D. Dent, and M. Hamrud (1995). Implementation of the semi-Lagrangian method in a high resolution version of the ECMWF forecast model. *Mon. Weather Rev.* 123, 489–514.

- Robert, A. (1993). Bubble convection experiments with a semi-implicit formulation of the Euler equations. *J. Atmos. Sci.* 50, 1865–1873.
- Robert, A., J. Henderson, and C. Turnbull (1972). An implicit time integration scheme for baroclinic models of the atmosphere. *Mon. Weather Rev.* 100, 329–335.
- Room, R. and A. Männik (1999). Responses of different nonhydrostatic, pressure-coordinate models to orographic forcing. *J. Atmos. Sci.* 56, 2553–2570.
- Room, R., P. M. A. Miranda, and A. J. Thorpe (2001). Filtered non-hydrostatic models in pressure-related coordinates. *Q.J.R. Meteorol. Soc.* 127, 1277–1292.
- Rossby, C.-G. (1940). Planetary flow patterns in the atmosphere. *Q.J.R. Meteorol. Soc.* 66(supplement), 68–87.
- Rotunno, R. and P. K. Smolarkiewicz (1995). Vorticity generation in the shallow-water equations as applied to hydraulic jumps. *J. Atmos. Sci.* 52, 320–330.
- Saravanan, R. (1990). A multiwave model of the quasi-biennial oscillation. *J. Atmos. Sci.* 47, 2465–2474.
- Saujani, S. and T. G. Shepherd (2006). A unified theory of balance in the extratropics. *J. Fluid Mech.* 569, 447–464.
- Scaife, A., N. Butchart, C. D. Warner, D. Stainforth, and W. Norton (2000). Realistic quasi-biennial oscillations in a simulation of the global climate. *Geophys. Res. Lett.* 27(9), 3481–3484.
- Schär, C., D. Leuenberger, O. Fuhrer, D. Lüthi, and C. Girard (2002). A new terrain-following vertical coordinate formulation for atmospheric prediction models. *Mon. Weather Rev.* 130, 2459–2480.
- Schumann, U. (1996). Direct and large eddy simulations of stratified homogeneous shear flows. *Dyn. Atm. Ocean* 23, 81–98.
- Schumann, U., T. Hauf, H. Höller, H. Schmidt, and H. Volkert (1987). A mesoscale model for the simulation of turbulence, clouds and flow over mountains: formulation and validation examples. *Beitr. Phys. Atmosph.* 60, 413–446.
- Scinocca, J. F. and N. A. McFarlane (2004). The variability of modeled tropical precipitation. *J. Atmos. Sci.* 61, 1993–2015.
- Seo, K.-H. and K.-Y. Kim (2003). Propagation and initiation mechanisms of the Madden-Julian oscillation. *J. Geophys. Res.* 108(D13), 4384.
- Shapiro, M. and J. Doyle (1999). Flow response to large-scale topography: the greenland tip jet. *Tellus* 51A, 728–748.
- Shutts, G. (2001). A linear model of back-sheared flow over an isolated hill in the presence of rotation. *J. Atmos. Sci.* 58, 3923–3311.
- Simmons, A. J. and D. M. Burridge (1981). An energy and angular momentum conserving vertical finite difference scheme and hybrid vertical coordinates. *Mon. Weather Rev.* 109, 758–766.
- Simmons, A. J. and A. Hollingsworth (2002). Some aspects of the improvement in skill of numerical weather prediction. *Q.J.R. Meteorol. Soc.* 128, 647–677.

- Simmons, A. J., P. D. Jones, V. da Costa Bechtold, A. C. M. Beljaars, P. W. Kallberg, S. Saarinen, S. M. Uppala, P. Viterbo, and N. P. Wedi (2004). Comparison of trends and variability in CRU, ERA-40 and NCEP/NCAR analysis of monthly-mean surface air temperature. *J. Geophys. Res.* 109(D24115).
- Skamarock, W. C. (2004). Evaluating mesoscale NWP models using kinetic energy spectra. *Mon. Weather Rev.* 132, 3019–3032.
- Skamarock, W. C. and J. B. Klemp (1992). The stability of time-split numerical methods for the hydrostatic and the nonhydrostatic elastic equations. *Mon. Weather Rev.* 120, 2109–2127.
- Skamarock, W. C., P. K. Smolarkiewicz, and J. B. Klemp (1997). Preconditioned conjugate-residual solvers for Helmholtz equations in nonhydrostatic models. *Mon. Weather Rev.* 125, 587–599.
- Smith, L. M. and S. L. Woodruff (1998). Renormalization-group analysis of turbulence. *Annu. Rev. Fluid Mech.* 30, 275–310.
- Smith, R., Q. Jiang, and J. Doyle (2006). A theory of gravity wave absorption by a boundary layer. *J. Atmos. Sci.* 63, 774–781.
- Smith, R. B. (1979). The influence of mountains on the atmosphere. *Adv. Geophys.* 21, 87–230.
- Smith, R. B. (1980). Linear theory of stratified hydrostatic flow past an isolated mountain. *Tellus* 32, 348–364.
- Smith, R. B. (1985). On severe downslope winds. *J. Atmos. Sci.* 42, 2597–2603.
- Smolarkiewicz, P. K. (2006a). Multidimensional positive definite advection transport algorithm: an overview. *Int. J. Numer. Methods Fluids* 50, 1123–1144.
- Smolarkiewicz, P. K. (2006b). Multidimensional positive definite advection transport algorithm: An overview. *Int. J. Numer. Methods Fluids* 50.
- Smolarkiewicz, P. K. and G. A. Grell (1992). A class of monotone interpolation schemes. *J. Comput. Phys.* 101, 431–440.
- Smolarkiewicz, P. K., V. Grubišić, and L. G. Margolin (1997). On forward-in-time differencing for fluids: Stopping criteria for iterative solutions of anelastic pressure equations. *Mon. Weather Rev.* 125, 647–654.
- Smolarkiewicz, P. K., V. Grubišić, L. G. Margolin, and A. A. Wyszogrodzki (1999). Forward-in-time differencing for fluids: Nonhydrostatic modelling of fluid motions on a sphere. Proc. 1998 Seminar on Recent Developments in Numerical Methods for Atmospheric Modelling, Reading, UK, pp. 21–43. Eur. Cent. For Medium-Range Weather Forecasts.
- Smolarkiewicz, P. K. and L. G. Margolin (1993). On forward-in-time differencing for fluids: Extension to a curvilinear framework. *Mon. Weather Rev.* 121, 1847–1859.
- Smolarkiewicz, P. K. and L. G. Margolin (1994). Variational solver for elliptic problems in atmospheric flows. *Int. J. Applied Math. Comp. Science* 4, 527–551.
- Smolarkiewicz, P. K. and L. G. Margolin (1997). On forward-in-time differencing for fluids: An Eulerian/semi-Lagrangian non-hydrostatic model for stratified flows. *Atmos. Ocean Special* 35, 127–152.
- Smolarkiewicz, P. K. and L. G. Margolin (1998). MPDATA: A finite difference solver for geophysical flows. *J. Comput. Phys.* 140, 459–480.

- Smolarkiewicz, P. K. and L. G. Margolin (2000). Variational methods for elliptic problems in fluid models. Proc. 2000 ECMWF Workshop on Developments in numerical methods for very high resolution global models, Reading, UK, pp. 137–159. Eur. Cent. For Medium-Range Weather Forecasts.
- Smolarkiewicz, P. K., L. G. Margolin, and A. A. Wyszogrodzki (2001). A class of nonhydrostatic global models. *J. Atmos. Sci.* 58, 349–364.
- Smolarkiewicz, P. K. and J. M. Prusa (2002). Forward-in-time differencing for fluids: Simulation of geophysical turbulence. In D. Drikakis and B. Guertz (Eds.), *Turbulent Flow Computation*, pp. 279–312. Kluwer Academic Publishers.
- Smolarkiewicz, P. K. and J. M. Prusa (2005). Towards mesh adaptivity for geophysical turbulence: Continuous mapping approach. *Int. J. Numer. Methods Fluids* 47, 789–801.
- Smolarkiewicz, P. K. and J. A. Pudykiewicz (1992). A class of semi-Lagrangian approximations for fluids. *J. Atmos. Sci.* 49, 2082–2096.
- Smolarkiewicz, P. K. and J. Szmelter (2008). An mpdata-based solver for compressible flows. *Int. J. Numer. Methods Fluids* 56, 1529–1534.
- smolarkiewicz, P. K. and J. Szmelter (2009). Iterated upwind schemes for gas dynamics. *J. Comput. Phys.* 228, 33–54.
- Smolarkiewicz, P. K., C. Temperton, S. J. Thomas, and A. A. Wyszogrodzki (2004). Spectral preconditioners for nonhydrostatic atmospheric models: extreme applications. Proc. 2004 Seminar on Recent Developments in Numerical Methods for Atmosphere and Ocean Modelling, Reading, UK, pp. 203–220. Eur. Cent. For Medium-Range Weather Forecasts.
- SPARC (2007). Sparc data center. SPARC FTP Server: [atmos.sparc.sunysb.edu/pub/sparc/hres](http://atmos.sparc.sunysb.edu/pub/sparc/hres).
- Staquet, C. and J. Sommeria (2002). Internal gravity waves: From instabilities to turbulence. *Annu. Rev. Fluid Mech.* 34, 559–593.
- Stephenson, D. B. (1994). The impact of changing the horizontal diffusion scheme on the northern winter climatology of a general circulation model. *120*, 211–226.
- Stoker, J. J. (1957). *Water Waves*, Volume IV of *Pure and Applied Mathematics*. New York: Interscience Publishers.
- Straub, K. (2003). Extratropical forcing of convectively coupled kelvin waves during austral winter. *J. Atmos. Sci.* 60, 526–543.
- Strauss, D. M. and R. Lindzen (2000). Planetary-scale baroclinic instability and the MJO. *J. Atmos. Sci.* 57, 3609–3626.
- Suarez, M. J., A. Arakawa, and D. A. Randall (1983). Parameterization of the planetary boundary layer in the ucla general circulation model: Formulation and results. *Mon. Weather Rev.* 111, 2224–2243.
- Takahashi, M. (1999). Simulation of the quasi-biennial oscillation in a general circulation model. *Geophys. Res. Lett.* 26(9), 1307–1310.
- Takahashi, M. and B. A. Boville (1992). A three-dimensional simulation of the equatorial quasi-biennial oscillation. *J. Atmos. Sci.* 49, 1020–1035.

- Temam, R. (2006). Suitable initial conditions. *J. Comput. Phys.* 218, 443–450.
- Temperton, C. (1983). Self-sorting mixed-radix fast Fourier transforms. *J. Comput. Phys.* 52, 1–23.
- Temperton, C. (1991). On scalar and vector transform methods for global spectral models. *Mon. Weather Rev.* 119, 1303–1307.
- Temperton, C., M. Hortal, and A. Simmons (2001). A two-time-level semi-Lagrangian global spectral model. *Q.J.R. Meteorol. Soc.* 127, 111–127.
- Temperton, C. and A. Simmons (1997). Stability of a two-time-level semi-implicit integration scheme for gravity wave motion. *Mon. Weather Rev.* 125, 601–615.
- Teoh, S. G., G. N. Ivey, and J. Imberger (1997). Laboratory study of the interaction between two internal wave rays. *J. Fluid Mech.* 336, 91–122.
- Thuburn, J., N. Wood, and A. Staniforth (2001). Normal modes of deep atmospheres I: spherical geometry. *Q.J.R. Meteorol. Soc.* 128, 1771–1792.
- Tiedke, M. (1989). A comprehensive mass flux scheme for cumulus parameterization. *Mon. Weather Rev.* 117, 1779–1800.
- Tindall, J. C. (2003). *Dynamics of the tropical tropopause and lower stratosphere*. Ph. D. thesis, University of Reading.
- Tomita, H. and M. Satoh (2004). A new dynamical framework of nonhydrostatic global model using the icosahedral grid. *Fluid Dynamics Research* 34, 357–400.
- Tompkins, A., P. Bechtold, A. Beljaars, A. Benedetti, S. Cheinet, M. Janiskova, M. Koehler, P. Lopez, and J.-J. Morcrette (2004). Moist physical processes in the IFS: Progress and plans. Technical Report 452, Eur. Cent. For Medium-Range Weather Forecasts, Reading, UK, <http://www.ecmwf.int/publications>.
- Tompkins, A. and T. Jung (2003). Influence of process interactions on MJO-like convective structures in the IFS model. Proc. 2003 ECMWF/CLIVAR Workshop on Simulation and Prediction of Intra-Seasonal Variability with emphasis on the MJO, Reading, UK, pp. 103–114. Eur. Cent. For Medium-Range Weather Forecasts.
- Tremback, C., J. Powell, W. Cotton, and R. Pielke (1987). The forward-in-time upstream advection scheme: extension to higher orders. *Mon. Weather Rev.* 115, 540–555.
- Trenberth, K. E. and D. P. Stepaniak (2002). A pathological problem with NCEP reanalyses in the stratosphere. *J. Climate* 15, 690–695.
- Tuyl, A. V. (1987). Nonlinearities in low-frequency equatorial waves. *J. Atmos. Sci.* 44, 2478–2492.
- Ucellini, L. W., D. R. Johnson, and R. E. Schlesinger (1979). An isentropic and sigma coordinate hybrid numerical model: model development and some initial tests. *J. Atmos. Sci.* 36, 390–413.
- Untch, A. (1998). Aspects of stratospheric modelling at ECMWF. In *Proc. ECMWF Workshop on Recent Developments in numerical methods for atmospheric modelling*, Reading, UK, pp. 442–453. Eur. Cent. For Medium-Range Weather Forecasts.
- Untch, A. and M. Hortal (2004). A finite-element scheme for the vertical discretization of the semi-lagrangian version of the ecmwf forecast model. *Q.J.R. Meteorol. Soc.* 130, 1505–1530.

- Uppala, S. M., P. W. Kallberg, A. J. Simmons, U. Andrae, V. da Costa Bechtold, M. Fiorino, J. K. Gibson, J. Haseler, A. Hernandez, G. A. Kelly, X. Li, K. Onogi, S. Saarinen, N. Sokka, R. P. Allan, E. Andersson, K. Arpe, M. A. Balmaseda, A. C. M. Beljaars, L. van de Berg, J. Bidlot, N. Bormann, S. Caires, F. Chevallier, A. Dethof, M. Dragosavac, M. Fisher, M. Fuentes, S. Hagemann, E. Holm, B. J. Hoskins, L. Isaksen, P. A. E. M. Janssen, R. Jenne, A. P. McNally, J.-F. Mahfouf, J.-J. Morcrette, N. A. Rayner, R. W. Saunders, P. Simon, A. Sterl, K. E. Trenberth, A. Untch, D. Vasiljevic, P. Viterbo, and J. Woollen (2005). The ERA-40 re-analysis. *Quart. J. Roy. Meteor. Soc.* 131, 2961–3012.
- ISI (10th July 2002). Web of science. <http://wos.mimas.ac.uk>.
- Verkley, W. (2009). A balanced approximation of the one-layer shallow water equations on a sphere. *J. Atmos. Sci.* in press.
- Veronis, G. (1970). The analogy between rotating and stratified fluids. *Annu. Rev. Fluid Mech.* 2, 37–66.
- von Storch, H. and F. Zwiers (1999). *Statistical Analysis in Climate Research*. Cambridge University Press.
- Wadzuk, B. M. and B. R. Hodges (2004). Hydrostatic and non-hydrostatic internal wave models. Technical report, CRWR, <http://www.crwr.utexas.edu/online.html>.
- Waite, M. and P. Smolarkiewicz (2008). Instability and breakdown of a vertical vortex pair in a strongly stratified fluid. *J. Fluid Mech.* 606, 239–273.
- Wang, B. and H. Rui (1990). Dynamics of the coupled moist Kelvin-Rossby wave on an equatorial  $\beta$ -plane. *J. Atmos. Sci.* 47(4), 397–413.
- Warn, T. and B. Brasnett (1983). The amplification and capture of atmospheric solitons by topography: a theory of onset of regional blocking. *J. Atmos. Sci.* 40, 28–40.
- Wedi, N. P. (1995). Die Strahlungsbilanz in komplexem Terrain. Master’s thesis, Johannes-Gutenberg Universität Mainz, Germany.
- Wedi, N. P. (1999a). Global modelling via the Internet. *ECMWF Newsletter* (83), 7–10.
- Wedi, N. P. (1999b). The numerical coupling of the physical parameters to the dynamical equations in a forecast model. Technical Report 274, Eur. Cent. For Medium-Range Weather Forecasts, Reading, UK.
- Wedi, N. P. (2004a). Numerical simulation of internal gravity wave dynamics. Proc. ECMWF Workshop on Recent Developments in numerical methods for atmosphere and ocean modelling, Reading, UK, pp. 221–232. Eur. Cent. For Medium-Range Weather Forecasts.
- Wedi, N. P. (2004b). *Time-dependent boundaries in numerical models*. Ph. D. thesis, Ludwig-Maximilians-Universität München, LMU München. <http://edoc.ub.uni-muenchen.de/archive/00003142>.
- Wedi, N. P. (2006). The energetics of wave-driven mean flow oscillations. *Int. J. Numer. Methods Fluids* 50(10), 1175–1191.
- Wedi, N. P. and P. K. Smolarkiewicz (2003). Extending Gal-Chen & Somerville terrain-following coordinate transformation on time-dependent curvilinear boundaries. Technical Report 405, Eur. Cent. For Medium-Range Weather Forecasts, Reading, UK.
- Wedi, N. P. and P. K. Smolarkiewicz (2004). Extending Gal-Chen & Somerville terrain-following coordinate transformation on time-dependent curvilinear boundaries. *J. Comput. Phys.* 193, 1–20.

- Wedi, N. P. and P. K. Smolarkiewicz (2005). Laboratory for internal gravity-wave dynamics: The numerical equivalent to the quasi-biennial oscillation (QBO) analogue. *Int. J. Numer. Methods Fluids* 47, 1369–1374.
- Wedi, N. P. and P. K. Smolarkiewicz (2006). Direct numerical simulation of the Plumb-McEwan laboratory analog of the QBO. *J. Atmos. Sci.* 63(12), 3226–3252.
- Wedi, N. P. and P. K. Smolarkiewicz (2008). A reduced model of the Madden-Julian Oscillation. *Int. J. Numer. Methods Fluids* 56, 1583–1588.
- Wedi, N. P. and P. K. Smolarkiewicz (2009a). A framework for testing global nonhydrostatic models. *Q.J.R. Meteorol. Soc.* in press.
- Wedi, N. P. and P. K. Smolarkiewicz (2009b). A nonlinear perspective on the dynamics of the MJO: Analytic theory and equatorial beta-plane simulations. *J. Atmos. Sci.* submitted.
- Wedi, N. P. and P. K. Smolarkiewicz (2009c). A nonlinear perspective on the dynamics of the MJO: Intraseasonal oscillations in the held-suarez test on the sphere. *J. Atmos. Sci.* to be submitted.
- Welch, W. T., P. K. Smolarkiewicz, R. Rotunno, and B. A. Boville (2001). The large-scale effects of flow over periodic mesoscale topography. *J. Atmos. Sci.* 58, 1477–1492.
- Wheeler, M. and G. N. Kiladis (1999). Convectively coupled equatorial waves: Analysis of clouds and temperature in the wave number-frequency domain. *J. Atmos. Sci.* 56, 374–399.
- White, A. A. and R. A. Bromley (1995). Dynamically consistent, quasi-hydrostatic equations for global models with a complete representation of the Coriolis force. *Q.J.R. Meteorol. Soc.* 121, 399–418.
- White, A. A., B. J. Hoskins, I. Roulstone, and A. Staniforth (2005). Consistent approximate models of the global atmosphere: shallow, deep, hydrostatic, quasi-hydrostatic and non-hydrostatic. *Q.J.R. Meteorol. Soc.* 131, 2081–2107.
- Winters, K. B. and E. A. D’Asaro (1994). Three-dimensional wave instability near a critical level. *J. Fluid Mech.* 272, 255–284.
- Winters, K. B., P. N. Lombard, J. J. Riley, and E. A. D’Asaro (1995). Available potential energy and mixing in density-stratified fluids. *J. Fluid Mech.* 289, 115–128.
- Wood, N. and A. Staniforth (2003). The deep-atmosphere Euler equations with a mass-based vertical coordinate. *Q.J.R. Meteorol. Soc.* 129, 1289 – 1300.
- Woolnough, S., F. Vitart, and M. Balmaseda (2007). The role of the ocean in the Madden-Julian oscillation: Implications for MJO prediction. *Q.J.R. Meteorol. Soc.* 133, 117–128.
- Wu, J. Z. and J. M. Wu (1998). Boundary vorticity dynamics since Lighthill’s 1963 article: review and development. *Theoret. Comput. Fluid Dynamics* 10, 459–474.
- Wurtele, M. G., R. D. Sharman, and A. Datta (1996). Atmospheric lee waves. *Annu. Rev. Fluid Mech.* /28, 429–476.
- Wurtele, M. G., R. D. Sharman, and T. L. Keller (1987). Analysis and simulations of a troposphere - stratosphere gravity wave model. part I. *J. Atmos. Sci.* 44, 3269–3281.
- www.gfdl.noaa.gov (20th May 2005). Atmosphere and ocean in a laboratory. [http://www.gfdl-noaa.gov/library/gfd\\_exp/exp\\_e/index.htm](http://www.gfdl.noaa.gov/library/gfd_exp/exp_e/index.htm).

- Yamagata, T. (1987). A simple moist model relevant to the origin of intraseasonal disturbances in the Tropics. *J. Meteor. Soc. Japan* 65(2), 153–164.
- Yamamoto, M. and M. Takahashi (2003). The fully developed superrotation simulated by a general circulation model of a Venus-like atmosphere. *J. Atmos. Sci.* 60, 561–574.
- Yano, J. and M. Bonazzola (2008). Scale analysis for the large-scale tropical atmospheric dynamics. *J. Atmos. Sci.*. accepted.
- Yano, J., S. Mulet, and M. Bonazzola (2008). Tropical large-scale circulations: asymptotically nondivergent ? *Tellus*. submitted.
- Yano, J.-I. (2003). The cumulus parameterization problem in the context of MJO simulations. Proc. 2003 ECMWF/CLIVAR Workshop on Simulation and Prediction of Intra-Seasonal Variability with emphasis on the MJO, Reading, UK, pp. 115–128. Eur. Cent. For Medium-Range Weather Forecasts.
- Yano, J.-I., J. Tribbia, and F. Reichmann (1997). Jovian vortex dynamics from a historical perspective. CP414 Research Workshop: Two-dimensional turbulence in Plasmas and Fluids, pp. 155–172.
- Yessad, K. (2008). Dynamics. GmapDoc, <http://www.cnrm.meteo.fr/gmapdoc/>.
- Yoden, S. and J. R. Holton (1988). A new look at equatorial quasi-biennial oscillation models. *J. Atmos. Sci.* 45, 2703–2717.
- Zagar, N., E. Andersson, and M. Fisher (2005). Balanced tropical data assimilation based on a study of equatorial waves in ecmwf short-range forecast errors. *Q.J.R. Meteorol. Soc.* 131, 987–1011.
- Zdunkowski, W. and A. Bott (2003). *Dynamics of the Atmosphere: A course in theoretical meteorology*. Cambridge, New York: Cambridge University Press.
- Zhang, C. (2005). Madden-Julian Oscillation. *Rev. Geophys.* 43. doi:10.1029/2004RG000158.
- Zhang, C. and P. J. Webster (1989). Effects of zonal flows on equatorially trapped waves. *J. Atmos. Sci.* 46(24), 3632–3652.
- Zhang, G. and M. Mu (2005). Simulation of the Madden-Julian oscillation in the NCAR CCM3 using a revised zhang-mcfarlane convection parameterization. *J. Climate* 18, 4046–4064.
- Zou, J. and H.-R. Cho (2000). A nonlinear Schroedinger equation model of the intraseasonal oscillation. *J. Atmos. Sci.* 57, 2435–2444.